## **CLAIMS**

What is claimed is:

5

A method of adapting content for transmission to a palmtop computer,

comprising:

receiving an identifier from the palmtop computer;

determining a profile for downloading information to the palmtop computer; and adapting content to be transmitted to the palmtop computer based upon the profile.

10

I

20

- 2. The method according to claim 1, wherein the determining further comprises determining a transmission speed for transmission to the palmtop computer.
- 3. The method according to claim 1, wherein the determining comprises determining a processing power for a processor residing within the palmtop computer by reference to the identifier.
- 4. The method according to claim 1, wherein the determining comprises determining a display parameter for a display of the palmtop computer by reference to the identifier.
- 5. The method according to claim 4, wherein the display parameter comprises the display's color handling ability.
  - 6. The method according to claim 4, wherein the display parameter comprises the display's resolution.
- 7. The method according to claim 1, wherein the determining comprises determining an amount of memory available to the palmtop computer.

**PALM-3565 US P** 

- 8. The method according to claim 1, wherein the determining comprises determining a data transmission format.
- 9. The method according to claim 1, wherein the adapting comprises transmitting5 only a first trame of an animated GIF.
  - 10. The method according to claim 1, wherein the adapting comprises converting color images to a low resolution grey scale image.
- 10 11. The method according to claim 1, wherein the adapting comprises converting a digital audio signal with a first sampling rate to a digital audio signal with a second sampling rate, and wherein the second sampling rate is lower than the first sampling rate.
  12. The method according to claim 1, wherein the identifier comprises a serial
  - 12. The method according to claim 1, wherein the identifier comprises a serial number.
  - 13. The method according to claim 1 wherein the identifier comprises a request header transmitted from the palmtop computer.
  - 14. The method according to claim 1, carried out in a proxy server serving the palmtop computer.

25

IJ IJ

IJ,

10 120 5

10

15. A method of adapting content for transmission to a palmtop computer, comprising:

receiving an identifier from the palmtop computer, the identifier comprising a serial number and a request header transmitted from the palmtop computer;

determining a processing power for a processor residing within the palmtop computer by reference to the identifier;

determining a display resolution parameter and a display color handling ability for a display of the palmtop computer by reference to the identifier;

determining a display parameter for a display of the palmtop computer by reference to the identifier;

determining an amount of memory available to the palmtop computer by reference to the identifier;

determining a data transmission format;

determining a transmission speed for transmission to the palmtop computer; selecting a profile for downloading information to the palmtop computer; and

adapting content to be transmitted to the palmtop computer based upon the profile.

- 16. The method according to claim 15, wherein the adapting comprises transmitting only a first frame of an animated GIF.
- 17. The method according to claim 15, wherein the adapting comprises converting color images to a low resolution gray scale image.
- 18. The method according to claim 15, wherein the adapting comprises converting a digital audio signal with a first sampling rate to a digital audio signal with a second sampling rate, and wherein the second sampling rate is lower than the first sampling rate.


30

25

19. The method according to claim 15, carried out in a proxy server serving the palmtop computer.

5

10



receiving an identifier from the palmtop computer;

determining a profile for downloading information to the palmtop computer; and adapting content to be transmitted to the palmtop computer based upon the profile.